

10/743,812

	Type	Ref #	Hits	Search Text	DBs
1	IS&R	S1	395	(62/185).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	IS&R	S2	420	(62/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	IS&R	S3	224	(62/173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	S4	10	(S1 or S2) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	S5	10	("2556882").URPN.	USPAT
6	IS&R	S6	150	(62/176.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	IS&R	S7	84	(62/176.5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	IS&R	S8	356	(62/176.6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	S9	574	S6 or S7 or S8	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	IS&R	S10	463	(236/44a).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	IS&R	S11	644	(236/44c).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	BRS	S12	1549	S9 or S10 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	BRS	S13	14	(S1 or S2) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	S14	0	(S1 or S2) and (sleeper with cabin)	US-PGPUB; USPAT; EPO; JPO; DERWENT
15	BRS	S15	0	(S1 or S2) and sleeper	US-PGPUB; USPAT; EPO; JPO; DERWENT
16	BRS	S16	56	"62"/\$.ccls. and sleeper	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
17	IS&R	S17	188	(62/178).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	IS&R	S18	789	(62/180).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	IS&R	S19	395	(62/185).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	IS&R	S20	420	(62/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	S21	100550	(S19 or S20) nd (S17 or S18)	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	S22	72	(S19 or S20) and (S17 or S18)	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	S23	20	("3710852" "4269034" "4274264" "4483152" "4589060" "5201648" "5347821" "5355691" "5396782" "5419146" "5553997" "5561599" "5600960" "5632154" "5669225" "5946926").PN. OR ("6085532").URPN.	US-PGPUB; USPAT; USOCR
24	BRS	S24	701	S19 or S20	US-PGPUB; USPAT; USOCR
25	BRS	S25	0	S24 and (desired adj temperature)	US-PGPUB; USPAT; USOCR
26	BRS	S26	0	S24 and (desired adj3 temperature)	US-PGPUB; USPAT; USOCR
27	BRS	S27	137	S24 and ((ambient or internal or inside) near3 temperature)	US-PGPUB; USPAT; USOCR
28	BRS	S28	148	S24 and ((ambient or internal or inside or indoor) near3 temperature)	US-PGPUB; USPAT; USOCR
29	IS&R	S29	313	(62/199).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
30	IS&R	S31	0	("(1or2)ands24").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
31	IS&R	S32	395	(62/185).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
32	IS&R	S33	420	(62/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
33	BRS	S34	701	S32 or S33	US-PGPUB; USPAT; USOCR
34	BRS	S35	24	(S29 or S30) and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT
35	BRS	S36	44	multiple adj chiller	US-PGPUB; USPAT; EPO; JPO; DERWENT
36	BRS	S37	15	(S29 or S30) and chiller	US-PGPUB; USPAT; EPO; JPO; DERWENT
37	IS&R	S30	267	(62/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
38	BRS	S38	3	S30 and chiller	US-PGPUB; USPAT; EPO; JPO; DERWENT
39	BRS	S40	14	chiller and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT
40	IS&R	S39	224	(62/173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
41	BRS	S41	28	S39 and coolant	US-PGPUB; USPAT; EPO; JPO; DERWENT
42	BRS	S42	13	S34 and reheat	US-PGPUB; USPAT; EPO; JPO; DERWENT
43	IS&R	S43	150	(62/176.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
44	IS&R	S44	84	(62/176.5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
45	IS&R	S45	356	(62/176.6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
46	BRS	S46	574	S43 or S44 or S45	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
47	BRS	S47	14	S34 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT
48	IS&R	S48	568	((62/199) or (62/200)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
49	IS&R	S49	398	(62/185).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
50	IS&R	S50	422	(62/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
51	BRS	S51	24	S48 and (S49 or S50)	US-PGPUB; USPAT; EPO; JPO; DERWENT
52	BRS	S52	2	dual adj chiller	US-PGPUB; USPAT; EPO; JPO; DERWENT
53	BRS	S53	20	dual adj3 chiller	US-PGPUB; USPAT; EPO; JPO; DERWENT
54	BRS	S54	24	(S49 or S50) and reheat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
55	BRS	S55	494	chiller and reheat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
56	BRS	S56	129	S55 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
57	BRS	S57	80	S55 and heater and (dehumidif\$4 or humidi\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
58	BRS	S58	36	S57 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
59	IS&R	S59	224	(62/173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
60	BRS	S60	60	S59 and heater	US-PGPUB; USPAT; EPO; JPO; DERWENT
61	IS&R	S61	499	((62/176.1) or (62/176.6)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
62	IS&R	S62	0	("12and14").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT
63	BRS	S63	29	S59 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT
64	BRS	S64	11	S61 and (S49 or S50)	US-PGPUB; USPAT; EPO; JPO; DERWENT
65	BRS	S65	61	S61 and reheat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
66	BRS	S66	4750	defrost\$3 with heater	US-PGPUB; USPAT; EPO; JPO; DERWENT
67	BRS	S67	43	S66 and chiller	US-PGPUB; USPAT; EPO; JPO; DERWENT
68	BRS	S68	1	cab and sleeper and chiller	US-PGPUB; USPAT; EPO; JPO; DERWENT
69	IS&R	S69	6	((("6038877") or ("6457324") or ("6276161") or ("20040035130") or ("0572250") or ("5722250"))).PN.	US-PGPUB; USPAT